



Zhejiang Topyauld Technology Co.,Ltd.

Electric Fuel Pump



Tel : 86-577-65338561

Fax : 86-577-65338580

QQ : 1545257587

E-mail : frank@highfil.com

Addr : No. 1 Dongyuan Road, Ruian Intl. Auto Parts and Motorcycle parts Industrial Park,Zhejiang,China.

ELECTRIC FUEL PUMP

CZ-3601




Applicable:	ALFA,ROMEO,FIAT,FORD,JEEP (阿尔法、罗密欧、菲亚特、福特、吉普)
OEM:	ACDELCO:JU93350AA,EP357; ALFA:E93Z9F307A,F4CZ9A407B; F32Z9H307A,F5CZ9B350B,F7CZ9B350AA,F3Z9A407A FORD:E9T29H307B; JEEP:320184077;
Techniques:	VOLTS: 12V CURRENT: ≤5.5A FLOW: ≥80L/H PRESSURE: 3.0 BAR

CZ-3602



Applicable:	FORD (福特)
OEM:	FORD:92FBH307AJ;
Techniques:	VOLTS: 12V CURRENT: ≤5.5A FLOW: ≥100L/H PRESSURE: 3.0 BAR

CZ-3603A



Applicable:	FORD,CHEVROLET,BUICK,CHRYSLER,MADZA,HONDA
OEM:	AIRTEX:E2008,E2035,E2487,E3027,E3044,E37359,E8371 ACDELCO:EP106,EP111,EP2005H,EP254; EP303,EP193,EP297,EP301 HONDA:17708-SEO-013;17708-SEO-020;17708-SEO-023; 17708-SF1-A06;17708-SF1-S06; VOLVO:3501928-0;3507436-8; DELPHI:FE0070,FE0314,FE0315,FE0008,FE0009,FE0046; FE0068,FE0069,EP2008,EP7359,EP8237,EP8301,EP945; KEM:161211249417708-SEO-013;17708-SEO-020;17708-SEO-023; BMW:17708-SF1-A06;17708-SF1-S06; FORD:EBUZ-9H307A,EBUZ-9H307G,EBUZ-9H307H; EBUZ-9H307J,ETZ-9H307A,EBUZ-9H307F,EBUZ-9H307G; EBUZ-9H307G,EBUZ-9H307C,F0UX-91307A
Techniques:	FLOW: ≥110L/H PRESSURE: 0.2 BAR

CZ-3603B



Applicable:	CITROEN,HONDA,PEUGEOT,BMW
OEM:	DELPHI:FE2001-12B1; KEM:EP2003,EP2035; AIRTEX:E2003,E2636,E2485,E3903;
Techniques:	FLOW: ≥110L/H PRESSURE: 0.2 BAR

CZ-3604



Applicable:	PEUGEOT,FIAT (标致、菲亚特)
OEM:	WALBRO:ERJ197,ERJ240,ERJ241 AIRTEX:E10221,E10261 BOSCH:0966580171
Techniques:	VOLTS: 12V CURRENT: ≤5.5A FLOW: ≥100L/H PRESSURE: 3.0 BAR

CZ-3605



Applicable:	BUICK,CADILLAC,CHEVROLET,OPEL,VOLVO,GMC (别克、通用、欧宝、沃尔沃、雪佛兰)
OEM:	ACDELCO:EP336,EP383,EP384; AIRTEX:E3070,E3071,E3901,E8224,E3268,E8186 DELPHI:FE069,FE0015; VOLVO:13894365 OPEL:815008 GM:6471634,6471797,6471925,6471926,6471928,6471929; 6472005,6472010,FE069,FE0015
Techniques:	VOLTS: 12V CURRENT: ≤5.5A FLOW: ≥150L/H PRESSURE: 1.1 BAR

CZ-3606



Applicable:	CHEVROLET,GMC; (雪佛兰)
OEM:	ACDELCO:EP387 AIRTEX:E3902,E3567
Techniques:	VOLTS: 12V CURRENT: ≤5.5A FLOW: ≥150L/H PRESSURE: 0 BAR

CZ-3607



Applicable:	CHEVROLET,BUICK,CADILLAC;(别克、凯迪拉克、雪佛兰)
OEM:	ACDELCO:EP375
Techniques:	VOLTS: 12V CURRENT: ≤5.5A FLOW: ≥100L/H PRESSURE: 3.0 BAR

ELECTRIC FUEL PUMP

CZ-3609A



Applicable:	PEUGEOT,RENAULT(标致、雷诺)
OEM:	BOSCH:0960464001; WALBRO:TFP324 TTP206 AIRTEX:E7053M
Techniques:	VOLTS: 12V CURRENT: ≤5.5A FLOW: 100-160L/H PRESSURE: 3.0 BAR

CZ-3609B



Applicable:	PEUGEOT,RENAULT (标致、雷诺)
OEM:	N/D
Techniques:	VOLTS: 12V CURRENT: ≤5.5A FLOW: 100-160L/H PRESSURE: 3.0 BAR

CZ-3610



Applicable:	BUICK,CHEVROLET,FORD,LAND ROVER,CADILAC,VOLVO (雪佛兰、别克、路虎、凯迪拉克、沃尔沃)
OEM:	ACDELCO:EP268,EP270,EP330,EP381,EP386; DELPHI:FE0025,FE0041,FE0047,FE0114,FE0116 AIRTEX:E3210,E3212,E3240 VOLVO:35311653
Techniques:	VOLTS: 12V CURRENT: ≤5.5A FLOW: ≥100L/H PRESSURE: 3.0 BAR

CZ-3613



Applicable:	CITROEN,FIAT,PEUGEOT,CHERY,LANCIA (奇瑞、标致、菲亚特、标致、雷诺)
OEM:	WALBRO:ESS382,MS9070,FIAT:7747117,46473397 CITROEN:145505 AIRTEX:E10225,E10222,E10223 LANCIA:46427664
Techniques:	VOLTS: 12V CURRENT: ≤5.5A FLOW: ≥100L/H PRESSURE: 3.0 BAR

CZ-3614



Applicable:	SEAT,VW,GOLF,JETTA,PASSAT,POLO (I) (大众、捷达、高尔夫Ⅱ、帕萨特、波罗Ⅰ)
OEM:	VDO:E22041065; VW:3579006092C; PIEBURO:7.21086.62.0; AIRTEX:E8200 BOSCH:0580453012
Techniques:	VOLTS: 12V FLOW: ≥70L/H PRESSURE: 0.24 BAR

CZ-3616



Applicable:	CHRYSLER,DODGE,PYMOOUTH; (克莱斯勒、道奇)
OEM:	WALBRO:TU100,TU106; CHRYSLER:4778198,4798486,4897417AA,489742AB,4897804AC
Techniques:	VOLTS: 12V CURRENT: ≤5.5A FLOW: ≥100L/H PRESSURE: 3.0 BAR

CZ-3618



Applicable:	GM (通用)
OEM:	DELPHI:BCD00101; GM:0.64.34.02
Techniques:	VOLTS: 12V CURRENT: ≤5.5A FLOW: ≥90L/H PRESSURE: 3.0 BAR

CZ-3622



Applicable:	PEUGEOT,RENAULT (标致、雷诺)
OEM:	WALBRO:ESS296; RENAULT:7700416966,7700418353 AIRTEX:E10227 FISPA:20038 HOFFER:7506396
Techniques:	VOLTS: 12V CURRENT: ≤5.5A FLOW: ≥100L/H PRESSURE: 3.0 BAR

ELECTRIC FUEL PUMP

CZ-3801A



Applicable:	VW/MADZA/HONDA/SUZUKI (大众、马自达、本田、五十铃)
OEM:	ISUZU:5-86202-235-0,8-94369-644-0,8-94384-528-1,8-94479-418-1,8-97041-876-1,8-97019-185-0; MADZA:B3C713350,B3E713350,B3E713350A,BV3E713352B; VDO:X10-240-016-001
Techniques:	VOLTS: 12V CURRENT: ≤6A FLOW: ≥100L/H PRESSURE: 3 BAR

CZ-3801B



Applicable:	VW/MADZA/HONDA/SUZUKI (大众、马自达、本田、五十铃)
OEM:	N/D
Techniques:	VOLTS: 12V CURRENT: ≤6A FLOW: ≥100L/H PRESSURE: 3 BAR

CZ-3802



Applicable:	ALFA/FIAT/LANCIA/RENAULT; (阿尔法、菲亚特、雷诺、长安小康、长城、通用)
OEM:	BOSCH:0580453408;0580433434;0580453460; 0580453428;0580453461;0580454002; FIAT:788926;60812839; GMC:83238459; RENAULT:7700413362
Techniques:	VOLTS: 12V CURRENT: ≤6A FLOW: ≥100L/H PRESSURE: 3.5 BAR

CZ-3803C



Applicable:	HONDA,MAZDA,SUZUKI,HYUNDAI (本田、马自达、铃木、现代)
OEM:	BOSCH:0 580 454 464
Techniques:	VOLTS: 12V CURRENT: ≤6A FLOW: ≥120L/H PRESSURE: 3 BAR

CZ-3803



Applicable:	ACURA;INFINITI;CHRYSLER;CHEVROLET;DODGE; FIAT;EAGLE;GEO;HONDA;HYUNDAI;ISUZU;JEEP; KIA;LADA;MAZDA;MITSUBISHI;NISSAN;PLYMOUTH; SUBARU;SUZUKI;DAIAI (38 通用类)
OEM:	ACDELCO:EP126;EP382;EP387; AIRTEC:E2068;E2303;E2446;E2471;E8213;E8229;E8335;E8404; E8418;E8419;E8454;E8455;E8456;E8532;E8533;E8537; E8548;E8459 BOSCH:0580453402;0580453407;0580453449; 0580453411;0580453412;0580453455;0580453460;0580453461; 0580453465;0580453417;0580453453; CHRYSLER:4762964;47698941;52018387;52018390; DELPHI:FE0117;FE0118;FE0119;FE0131;FE0317;FE0129;FE0134; FIAT:46443874; FEDERALMOTOR:PT2192;PT2236;PT2237;PT2239;PT2240; PT2241;PT42242; FORD:1W1Z-9H3078C;F7AZ-9A407A;F73Z-9A407A;F73Z-9350A; F43Z-9A407A;F53Z-9350A;F85Z-9A407A;F75Z-9A407GA; F7AZ-9350AB;F7UZ-9A407AB;F85Z-9H307AA;F87Z-9H307AA; F8AZ-9H307AC;F8RZ-9H307AB;F8XZ-9H307EA;XC2Z-9H307AA; XC2Z-9H307BA;XC2Z-9H307CA;XF5Z-9H307AC;XL3Z-9H307AA; XL3Z-9H307BA;XL3Z-9H307CA;XL3Z-9H307DA;XL3Z-9H307EA; XL3Z-9H307FA;XW1Z-9H307AB;YC2Z-9H307AA; HONDA:17040-S0X-A00;17040-S30-A30;17040-S30-A30; 17040-S30-L00;17040-SR2-A50;17040-S04-G30;17040-S04-G40; 17040-SR1-A30;17040-SR3-A31;17040-ST7-A32;17040-SX0-A30; 17040-S01-A30;17040-S02-L00;17040-S04-A00;17040-SX0-A30; 17040-S04-L00;17040-S10-A00;17040-S64-A01;17040-SR1-A30; 17040-SR2-A50;17040-S58-A02;17040-ST7-L31;17040-SV1-A30; 17040-SV1-L01;17040-SV4-A30;17040-SW5-A30;17040-SX0-A32; 17040-SV6-A01; HYUNDAI:31110-28100;31110-33610;31111-37300;31111-22050; 3111-28150;31111-28300;31111-37200;31111-37150; KIA:0K01A-13-350B;0K01D-13-35Z;0K24C-13-35ZA;0K29T-13-35Z; JAGUAR:AZX1307; JEEP:4762964;47698941;52018387;52018390; KEM:EP6229; LADA:2112-1139010-01; MAZDA:B3C7-13-350;B3E7-13-350;B3E7-13-350A; B3E7-13-35ZB;B61P-13-350B;B61P-13-ZED;B6B7-13-35Z; B6G-13-35Z;B8DA-13-350;BPEF-13-350;BPEF-13-35Z; JE45-13-35ZB;JE47-13-35ZA;JE48-13-350C;KL11-13-350G; KL22-13-350;KL47-13-350;KL47-13-35ZB;KL47-13-35Z; MITSUBISHI:AW532718;AW534174;AW537327;MB76038; MB698623;MB698657;MB831262;MB831333;MB831264; MB831560;MB831561;MB831562;MB831691;MB833666; MB812304;MB923663;MB927016;MB959729;MB959730; MB959847;NISSAN:17040-35605;17040-8B000; 17040-0W000;17042-31U00;17042-31U05;17042-0W005; 17042-1W210;17042-2B500;17042-31U00;17042-8B00; 17042-0M300; SUBARU:42021-AA330;42021-AC001;42021-AC001;42021-FC021; 42021-FA200;42021-FA150;7420-21360;7420-21390; SUZUKI:15100-61AA0;15100-50G00;15100-50G10;15100-58B00; 15100-58B10;15100-60G00;15100-60G20;15100-77E00
Techniques:	VOLTS: 12V CURRENT: ≤6A FLOW: ≥50L/H PRESSURE: 3.5 BAR

CZ-3803B



CZ-3803C



ELECTRIC FUEL PUMP

CZ-3804A



Applicable:	N/D
OEM:	BOSCH:0 580 453 476;0 580 453 443
Techniques:	VOLTS: 12V CURRENT: ≤6A FLOW: ≥100L/H PRESSURE: 3 BAR

CZ-3804B



Applicable:	N/D
OEM:	BOSCH:0 580 453 476;0 580 453 443
Techniques:	VOLTS: 12V CURRENT: ≤6A FLOW: ≥100L/H PRESSURE: 3 BAR

CZ-3805A



Applicable:	FORD/MADZA (福特、马自达)
OEM:	BOSH:0 580 453 427
Techniques:	VOLTS: 12V CURRENT: ≤6A FLOW: ≥100L/H PRESSURE: 3 BAR

CZ-3805B



Applicable:	FORD/MADZA (福特、马自达)
OEM:	BOSH:0 580 453 427
Techniques:	VOLTS: 12V CURRENT: ≤6A FLOW: ≥100L/H PRESSURE: 3 BAR

CZ-3806A



Applicable:	N/D
OEM:	N/D
Techniques:	VOLTS: 12V CURRENT: ≤6A FLOW: ≥100L/H PRESSURE: 3 BAR

CZ-3806B



Applicable:	N/D
OEM:	N/D
Techniques:	VOLTS: 12V CURRENT: ≤6A FLOW: ≥100L/H PRESSURE: 3 BAR

CZ-3807



Applicable:	N/D
OEM:	N/D
Techniques:	VOLTS: 12V CURRENT: ≤6A FLOW: ≥100L/H PRESSURE: 3 BAR

CZ-3809



Applicable:	N/D
OEM:	N/D
Techniques:	VOLTS: 12V CURRENT: ≤6A FLOW: ≥100L/H PRESSURE: 3 BAR

ELECTRIC FUEL PUMP

CZ-3808A



Applicable:	GEO, LEXUS, TOYOTA, MADZA, MERCURY, HYUNDAI (丰田佳美、雷克萨斯、马自达、现代)
OEM:	ACDELCO: EP292, EP394, EP460, EP479, EP493; FEDERAL MOGUL: P77044; DELPHI: 23337925, FE01911, FE0203, FE0259; TOYOTA: 23221-46010, 23221-16480, 23221-74021; 23221-11020, 23220-03040; WALBRO: TCA341, TCA3307; AIRTEX: E8240, E8271
Techniques:	VOLTS: 12V FLOW: ≥ 90 L/H PRESSURE: 3.5 BAR

CZ-3808B



Applicable:	TOYOTA (丰田佳美、雷克萨斯、马自达、现代)
OEM:	N/D
Techniques:	VOLTS: 12V CURRENT: ≤ 6 A FLOW: ≥ 90 L/H PRESSURE: 3.5 BAR SHUT-OFF PRESSURE: ≥ 8.5 BAR

CZ-3808C



Applicable:	N/D
OEM:	N/D
Techniques:	VOLTS: 12V CURRENT: ≤ 6 A FLOW: ≥ 90 L/H PRESSURE: 3 BAR

CZ-3808D



Applicable:	N/D
OEM:	N/D
Techniques:	VOLTS: 12V CURRENT: ≤ 6 A FLOW: ≥ 90 L/H PRESSURE: 3 BAR

CZ-3810A



Applicable:	ALFA, HONDA, FIAT, MADZA, VW, JEEP (阿尔法-罗密欧、菲亚特、本田、马自达、吉普、大众)
OEM:	BOSCH: 0580 454 002
Techniques:	VOLTS: 12V CURRENT: ≤ 6 A FLOW: ≥ 90 L/H PRESSURE: 3.5 BAR

CZ-3810B



Applicable:	ALFA, HONDA, FIAT, MADZA, VW, JEEP (阿尔法-罗密欧、菲亚特、本田、马自达、吉普、大众)
OEM:	BOSCH: 0580 453 428, 0580 453 461
Techniques:	VOLTS: 12V CURRENT: ≤ 6 A FLOW: ≥ 100 L/H PRESSURE: 3 BAR

CZ-3811



Applicable:	LADA (拉达)
OEM:	BOSCH: 0 580 454 035
Techniques:	VOLTS: 12V CURRENT: ≤ 6 A FLOW: ≥ 100 L/H PRESSURE: 3 BAR

CZ-3811B



Applicable:	LADA (拉达)
OEM:	BOSCH: 0 580 454 035
Techniques:	VOLTS: 12V CURRENT: ≤ 6 A FLOW: ≥ 100 L/H PRESSURE: 3 BAR

ELECTRIC FUEL PUMP

CZ-3812



Applicable:	OPEL, DAEWOO, V.W. (欧宝、大众、大众)
OEM:	VDO: 993784025X; OPEL: 915037, 915039
Techniques:	VOLTS: 12V CURRENT: ≤ 6 A FLOW: ≥ 90 L/H PRESSURE: 3.5 BAR

CZ-3813



Applicable:	MERCURY, ACURA, DODGE, GEO, LEXUS, EAGLE, MAZDA, JEEP, FORD
OEM:	AC DELCO: EP2012H, EP2022H, EP2023H, EP2035H, EP2036H, EP2050H, EP458, EP459, EP460, EP461, EP494, EP490 WALBRO: GCA308, GCA309, GCA310, GCA311, GCA312, GCA313, GCA314, GCA315, GCA316, DELPHI: FE0304, FE0038, FE0140, FE0169, FE0170, FE0172, FE0173, FE0174, FE0175, FE0176, FE0177, FE0179, FE0179, FE0187, FE0188, FE0192, FE0204, FE0270, FE0294, FE0296, FE0297, FE0301, FE0302,
Techniques:	VOLTS: 12V FLOW: ≥ 180 L/H PRESSURE: 3.0 BAR

CZ-3814



Applicable:	NISSAN (尼桑)
OEM:	PERKINS: 17042 31U18; 17042: 4P066; 17042 31U08; BOSCH: 0 580 313 057; 0 580 305 003; 0 580 313 004
Techniques:	VOLTS: 12V CURRENT: ≤ 6 A FLOW: ≥ 90 L/H PRESSURE: 3.5 BAR

CZ-3815



Applicable:	FORD, MAZDA (福特、马自达)
OEM:	MADZA: KLG4-13-350A; ACDELCO: EP203PH; AIRTEX: MU2019; DELPHI: FE0319, FE0321; KEM: 269-E; FORD: SGUJ-9350-B1A, VPILZV9350, XL2V-9350-AA
Techniques:	VOLTS: 12V CURRENT: ≤ 6 A FLOW: ≥ 90 L/H PRESSURE: 3.5 BAR

CZ-3816



Applicable:	HYUNDAI, TOYOTA (现代、丰田)
OEM:	HYUNDAI: 31111-02000, 31111-05000, 31111-07000; TOYOTA: 23221-46070, 23220-74021;
Techniques:	VOLTS: 12V FLOW: ≥ 100 L/H PRESSURE: 3 BAR

CZ-3816A



Applicable:	HYUNDAI, TOYOTA (现代、丰田)
OEM:	HYUNDAI: 31111-02000, 31111-05000, 31111-07000; TOYOTA: 23221-46070, 23220-74021;
Techniques:	VOLTS: 12V FLOW: ≥ 100 L/H PRESSURE: 3 BAR

CZ-3817



Applicable:	TOYOTA (丰田凯美瑞)
OEM:	DENSO: 23220-21132; TOYOTA: 23220-21131; BOSCH: F00E193796
Techniques:	VOLTS: 12V CURRENT: ≤ 3.8 A FLOW: ≥ 90 L/H PRESSURE: 3.0 BAR

CZ-3818



Applicable:	TOYOTA (丰田凯美瑞)
OEM:	DENSO: 23220-21132; TOYOTA: 23220-21131; BOSCH: F00E193796
Techniques:	VOLTS: 12V CURRENT: ≤ 3.8 A FLOW: ≥ 90 L/H PRESSURE: 3.0 BAR

ELECTRIC FUEL PUMP

CZ-3819



Applicable: TOYOTA (丰田凯美瑞)
OEM: DENSO:23220-21132;
TOYOTA:23220-21131;
BOSCH:F00E193796
Techniques: VOLTS: 12V
CURRENT: ≤3.8A
FLOW: ≥50L/H
PRESSURE: 3.0 BAR

CZ-3820



Applicable: BUICK;CADILLAC;CHEVROLET;GMC;OLDSMOBILE;PONTIAC;
(别克、通用、雪佛兰)
OEM: ACDELCO:MU34;MU69;MU86;MU170;MU220;MU241;MU263;
AIRTEX:E3500M;E3505M;E3514M;E3837M;E3977M
Techniques: VOLTS: 12V
FLOW: ≥100L/H
PRESSURE: 3.0 BAR

CZ-3822



Applicable: BMW (宝马)
OEM: BMW:E60;16146765820
Techniques:

CZ-3823



Applicable: N/D
OEM: N/D
Techniques: VOLTS: 12V
CURRENT: ≤6A
FLOW: ≥100L/H
PRESSURE: 3 BAR

CZ-3824



Applicable: TOYOTA
OEM: 23221-50100
Techniques: VOLTS: 12V
CURRENT: ≤6A
FLOW: ≥80L/H
PRESSURE: 3 BAR

CZ-3825



Applicable: N/D
OEM: N/D
Techniques: VOLTS: 12V
CURRENT: ≤6A
FLOW: ≥100L/H
PRESSURE: 3 BAR

CZ-3826



Applicable: N/D
OEM: N/D
Techniques: VOLTS: 12V
CURRENT: ≤6A
FLOW: ≥80L/H
PRESSURE: 3 BAR

CZ-3826A



Applicable: N/D
OEM: N/D
Techniques: VOLTS: 12V
CURRENT: ≤6A
FLOW: ≥90L/H
PRESSURE: 3 BAR

ELECTRIC FUEL PUMP

CZ-3827



Applicable: DAEWOO HYUNDAI (大宇、现代)
OEM: BOSCH:0 580 454 064
Techniques: VOLTS: 12V
CURRENT: ≤6A
FLOW: ≥100L/H
PRESSURE: 3 BAR

CZ-3830



Applicable: N/D
OEM: N/D
Techniques: VOLTS: 12V
FLOW: ≥100L/H
PRESSURE: 3 BAR

CZ-3831



Applicable: N/D
OEM: N/D
Techniques: VOLTS: 12V
CURRENT: ≤6A
FLOW: ≥80L/H
PRESSURE: 3 BAR

CZ-3832



Applicable: N/D
OEM: N/D
Techniques: VOLTS: 12V
CURRENT: ≤6A
FLOW: ≥80L/H
PRESSURE: 3 BAR

CZ-3833



Applicable: N/D
OEM: N/D
Techniques: VOLTS: 12V
FLOW: ≥100L/H
PRESSURE: 3.0 BAR

CZ-3834



Applicable: N/D
OEM: N/D
Techniques: VOLTS: 12V
FLOW: ≥100L/H
PRESSURE: 3.0 BAR

CZ-3835



Applicable: N/D
OEM: N/D
Techniques: VOLTS: 12V
FLOW: ≥100L/H
PRESSURE: 3.0 BAR

CZ-3837



Applicable: N/D
OEM: N/D
Techniques: VOLTS: 12V
FLOW: ≥100L/H
PRESSURE: 3.0 BAR

ELECTRIC FUEL PUMP

CZ-3838A



Applicable: TOYOTA VIOS (丰田威驰)
OEM: N/D
Techniques: VOLTS: 12V
CURRENT: ≤6A
FLOW: ≥80L/H
PRESSURE: 3 BAR

CZ-3838B



Applicable: N/D
OEM: N/D
Techniques: VOLTS: 12V
CURRENT: ≤6A
FLOW: ≥80L/H
PRESSURE: 3 BAR

CZ-EP001



Applicable: N/D
OEM: N/D
Techniques: N/D

CZ-EP002



Applicable: N/D
OEM: N/D
Techniques: N/D

CZ-4301



Applicable: VW;SEAT;SKODA;VW (大众嘉塔纳)
OEM: VW:1H0906091D
Techniques: VOLTS: 12V
CURRENT: ≤5.8A
FLOW: ≥100L/H
PRESSURE: 3.0 BAR

CZ-4302



Applicable: AUDI;FORD;SEAT; (福特、奥迪、捷达)
OEM: VDO:E22041047;VW:1J0919051B;1K0919051C;
Techniques: VOLTS: 12V
CURRENT: ≤6.5A
FLOW: ≥100L/H
PRESSURE: 3.0 BAR

CZ-4303



Applicable: FORD;AUDI;MERCEDES-BENZ; (奔驰、福特、奥迪)
OEM: BOSCH:0580310006;0580310007;0580314068;
0580453041;0580453046;0580453054;0580453080;
0580453070;0580453081;0580453066;0580453056;
VW:8A0906091GA;400906091;400905091C;
AIRTEX:E8256;PIERBUFG.7, 18259, 50.0;
VDO:40550000001Z;40505200300Z;40505231
Techniques: VOLTS: 12V
FLOW: ≥110L/H
PRESSURE: 4 BAR

CZ-4304



Applicable: BMW;AUDI (宝马、奥迪)
OEM: BMW:16141183178;16141182887;
VDO:228222005004
Techniques: VOLTS: 12V
FLOW: ≥90L/H
PRESSURE: 4 BAR

ELECTRIC FUEL PUMP

CZ-4305



Applicable: FORD;TOYOTA;HIACE;GMC (福特、别克林肯大通)
OEM: GM:25355031;25186942;25186936;
Techniques: VOLTS: 12V
CURRENT: ≤5.5A
FLOW: ≥100L/H
PRESSURE: 3.0 BAR

CZ-4306



Applicable: FORD;TOYOTA;HIACE (丰田、DENSO、哈飞)
OEM: BOSCH:0 580 455 457
Techniques: VOLTS: 12V
CURRENT: ≤5.5A
FLOW: ≥100L/H
PRESSURE: 3.0 BAR

CZ-4307A



Applicable: FIAT;INNOCENT;LANCIA (菲亚特、蓝旗亚)
OEM: BOSCH:0580453514;0580314152;0580453502;
FIAT:755130-7799543
Techniques: VOLTS: 12V
CURRENT: ≤3.0A
FLOW: ≥80 L/H
PRESSURE: 1.5 BAR

CZ-4307B



Applicable: OPE (欧宝)
OEM: BOSCH:0580453509;0580453516;0580314154;
OPEL:915012;90287154;90322493
Techniques: VOLTS: 12V
CURRENT: ≤3.0A
FLOW: ≥90 L/H
PRESSURE: 1.5 BAR

CZ-4308



Applicable: BMW3S (宝马E34)
OEM: BOSCH:0580453053;
PIERBUFG.722292500;
BMW:16141183054;16141182842;16141183018;
Techniques: FLOW: ≥100 L/H
PRESSURE: 3.0 BAR

CZ-4310



Applicable: BMW5S (宝马E39)
OEM: BMW:16141183178;16141186176;
VDO:405-520-005-001G
Techniques: FLOW: ≥180 L/H
PRESSURE:0.58BAR

CZ-4315



Applicable: OPEL;FIAT (欧宝、菲亚特)
OEM: BOSCH:0580453066;
OPEL:815019;90411794;90442231;
AIRTEX:E8214
Techniques: FLOW: ≥100 L/H
PRESSURE: 3.0 BAR

CZ-4317



Applicable: TSURIIIGS;NISSAN (日产、公爵王)
OEM: NISSAN:17042-51201;17042-51L01;17042-V7300;
17042-V7200;A223283016
Techniques: FLOW: ≥80 L/H
PRESSURE: 3.0 BAR

CZ-4318



Applicable: BUICK;OLDSMOBILE;PONTIAC (别克、奥尔德莫比尔、庞蒂克)
OEM: BOSCH:F000TEI734;0986596031;
AIRTEX:E3290
Techniques: FLOW: ≥100 L/H
PRESSURE: 3.0 BAR

CZ-4319



Applicable:	N/D
OEM:	N/D
Techniques:	VOLTS: 12V CURRENT: ≤6A FLOW: ≥100L/H PRESSURE: 3 BAR

CZ-4320



Applicable:	N/D
OEM:	N/D
Techniques:	VOLTS: 12V CURRENT: ≤6A FLOW: ≥100L/H PRESSURE: 3 BAR

CZ-4321



Applicable:	N/D
OEM:	N/D
Techniques:	VOLTS: 12V CURRENT: ≤6A FLOW: ≥100L/H PRESSURE: 3 BAR

CZ-4322



Applicable:	N/D
OEM:	N/D
Techniques:	VOLTS: 12V CURRENT: ≤6A FLOW: ≥100L/H PRESSURE: 3 BAR

ELECTRIC FUEL PUMP

CZ-4323



Applicable:	YAMAHA,HONDA
OEM:	N/D
Techniques:	FLOW: ≥35L/H PRESSURE: 2.5 BAR

CZ-301



Applicable:	YAMAHA,HONDA(雅马哈, 本田 摩托车)
OEM:	N/D
Techniques:	FLOW: ≥35L/H PRESSURE: 2.5 BAR

CZ-301A



Applicable:	YAMAHA,HONDA(雅马哈, 本田 摩托车)
OEM:	N/D
Techniques:	FLOW: ≥35L/H PRESSURE: 2.5 BAR